bk medical

Table of Contents

Table of Contents

Systems

2202
Pro Focus 2202 System
Printer must be ordered separately.

Available versions of Pro Focus
UltraView 800 (2202-8) — High-End Color System

UltraView (2202-7) — High-End Color System

Green (C) (2202-2) — Midrange Color System

1202
flex **Focus** 1202 System
Keyboard Dock, Printer etc. must be ordered separately.

Available versions of *flex* **Focus**
1202-10
flex **Focus** 800
High-End Surgery System

1202-11
flex **Focus** 800 HistoScanning
 HistoScanning Interface

1202-9
flex **Focus** 500
Powerful Mid-Range System

1202-4
flex **Focus** 400 Anesthesia
Dedicated to regional Anesthesia

1202-1
flex **Focus** 400
Mid-Range Color System

1202-7
flex **Focus** 200 Surgery
Basic Surgical System

1202-2
flex **Focus** 200
Basic Functionality B&W System.
Upgradable to color

Systems

Available versions of Pro Focus 2202			
Part no. Pre-order	Features	UltraView 800 (2202-8)	UltraView (2202-7)
UA2237	Quantum Technology (including AMA and MACI)	Included	NA
UA2213	Quantum Basic	NA	Included
UA2209	Vector Flow Imaging (VFI)[1]	Optional	Optional
	Automatic Mode Adjustment (AMA)	Included	Optional
	Motion Compensated Angular Compound Imaging (MACI)	Included	Optional
	IQPAC™	Included	Included
	Color Flow Mapping	Included	Included
	Power Doppler	Included	Included
	Directional Power Doppler	Included	Included
	Pulsed Wave Doppler	Included	Included
	Continuous Wave Doppler	Included	Included
UA2214	Tissue Harmonic Imaging	Included	Included
UA2215	Contrast Imaging (License)[2]	Optional	Optional
UA2206	DICOM Option (License)	Optional	Optional
UA1205	Picture-in-Picture	Optional	Optional
UA2238	HistoScanning™ Interface Option for 2202 UltraView[3]	Optional	Optional
UA2238-K	HistoScanning™ Interface Upgrade Kit for 2202 UltraView[3]	Optional	Optional
UA2236	HistoScanning™ Interface Option for 2202 Green (C)[3]	NA	NA
UA2236-K	HistoScanning™ Interface Upgrade Kit for 2202 Green (C)[3]	NA	NA
UA2226	Varian Option License	Optional	Optional
UA2226-K	Varian Option Upgrade Kit	Optional	Optional
UA2207	3D Freehand (License)	Optional	Optional
UA2222	3D Professional (includes 3D Mover Module and Freehand)	Optional	Optional
UA2222-K	3D Mover Module Kit (from Freehand to Professional. Must be ordered with UA2207)	Optional	Optional
UA2223	360° Mechanical Input Module	Optional	Optional
UA2223-K	360° Mechanical Input Module Kit (Upgrade)	Optional	Optional
UA2251	Flat Screen for 2202	NA	NA
UA2251-K	Flat Screen Kit for 2202	NA	NA
UA2252	Flat Screen on Arm for 2202	NA	NA
UA2252-K	Flat Screen on Arm Kit for 2202	NA	NA
	Height-Adjustable Keyboard Panel and Monitor (Simultaneous Movement)	Included	Included
	Height-Adjustable Keyboard Panel and Monitor (Independent Movement)	NA	NA

Systems

Available versions of Pro Focus 2202

Part no. Pre-order	Features	UltraView 800 (2202-8)	UltraView (2202-7)
UA2220	3rd Linear and Convex Array (Electronic) Transducer Connector Active	Included	Included
UA1237	Wireless Remote Control (includes mini Bluetooth® adaptor)	Optional	Optional
UA4100	Digital B/W Printer Start-Up Kit. See page 8 for more details.	Optional	Optional

1 VFI has not been licensed by Health Canada.
2 In the USA, contrast-enhanced ultrasound has not been market cleared by the FDA, with the exception of only select cardiac applications.
3 HistoScanning has not been licensed by Health Canada or market cleared by the FDA for sale in the USA.

2202 Upgrade Options

UA2233-K B/W to Color Upgrade Kit†

UA2229-K Transducer Support Upgrade Kit
Required to support 8818 on systems from before March 2006 and to support 8848 on systems from before January 2007. Contact Service for further details.

UA2237 Quantum Technology
For UltraView 2202-7††

UA2213 Quantum Basic
Field upgrade for UltraView 2202-7

† For systems purchased after Febraury 2007.

†† Can be upgraded to UltraView 800 (2202-8) if the hardware is a version later than approx. September 2010. Contact BK Service for more details.

Systems

Part no. Pre-order	•Included °Optional Features	flex Focus 200	flex Focus 200 Surgery	flex Focus 400	flex Focus 400 Anesthesia	flex Focus 500	flex Focus 800	flex Focus 800 HistoScanning
UA1213	Quantum Technology - includes AMA and MACI	NA	NA	NA	NA	•	•	•
UA1513	Quantum S - includes AMA	NA	NA	NA	•	NA	NA	NA
UA1228	Quantum Basic	•	•	•	NA	NA	NA	NA
UA1210	Mobile Keyboard Dock (including Backpack UA1220 and Power Cable Holder UA1223)	°	°	°	°	°	°	°
UA1214	Mobile Keyboard Dock with battery (includes 2 rechargable batteries)	1	1	1	1	1	1	1
UA1211	Keyboard Wall Dock	°	°	°	°	°	°	°
UA1283	Keyboard Table Dock	°	°	°	°	°	°	°
UA1810	Mobile Touch Dock (including Backpack UA1220 and Power Cable Holder UA1223)	°	°	°	°	°	°	°
UA1814	Mobile Touch Dock with battery (includes 2 rechargable batteries)	1	1	1	1	1	1	1
UA1222	3D Professional (License) - includes 3D Freehand	NA	NA	°	NA	°	°	°
UA1207	3D Freehand (License)	NA	NA	°	°	°	°	°
UA1206	DICOM (License)	°	°	°	°	°	°	°
UA1226	Varian Option (License)	NA	NA	°	NA	°	°	°
UA1203	Color Doppler (Color Flow Mapping)	1	°	•	•	•	•	•
UA1298	Pulsed Wave Doppler (PW)	1	°	•	•	•	•	•
UA1205	Picture-in-Picture	NA	NA	NA	NA	°	°	°
	Automatic Mode Adjustment (AMA)	NA	NA	NA	•	•	•	•
	Motion Compensated Angular Compound Imaging (MACI)	NA	NA	NA	NA	•	•	•
	HistoScanning (factory installed option 1202-11)[1]	NA	NA	NA	NA	NA	NA	•
UA1219	Vector Flow Imaging (VFI)[1]	NA	NA	NA	NA	°	°	°
	IQPAC™	NA	NA	•	•	•	•	•
	Clip Store	NA	NA	•	•	•	•	•
	Video Out	NA	•	•	•	•	•	•

Options for flex Focus 1202

Systems

Options for *flex* **Focus** 1202

Part no. Pre-order	• Included ° Optional Features	*flex* **Focus** 200	*flex* **Focus** 200 Surgery	*flex* **Focus** 400	*flex* **Focus** 400 Anesthesia	*flex* **Focus** 500	*flex* **Focus** 800	*flex* **Focus** 800 HistoScanning
	Basic Transducer Support: 8667, 8670, 8808, 8808e, 8811, 8819, 8820e, 8823, 8827, 8830, 8837[1]	•	•	•	NA	•		
	Enhanced Transducer Support: 2050, 2052, 8802, 8809, 8818, 8822[1], 8836[2], 8838[1], 8848, 8862[1], 8863[1], 8870	NA	NA	•	NA	•	•	•
	Anesthesia Transducer Support: 8670, 8809, 8811, 8816, 8820e, 8823, 8824, 8827, 8830, 8837[1], 8870	NA	NA	NA	•	NA	NA	NA
UA1258	Basic Surgical Transducer Support: 8666-RF, 8836[2], 8815, 8816	NA	•	NA	NA	NA	NA	NA
	Complete Surgical Transducer Support (all transducers)	NA	NA	NA	NA	•	•	•
UA1237	Wireless Remote Control (includes Mini Bluetooth® adapter)[3]	NA	NA	NA	NA	°	°	°
UA1294	Endo Transducer Holder	NA	°	°	NA	°		
UA1295	Endo Transducer Holder Mount (for UA1294 with 2052)	NA	°	°	NA	°	°	°
UA1296	General Transducer Holder (requires UA1810 or UA1814)	°	°	°	°	°	°	°
UA1223	Power Cable Holder. Included with UA1210, UA1214, UA1810 and UA1814	°	°	°	°	°	°	°
UA1202	Foot Switch (USB)	°	°	°	°	°	°	°
UA1284-K	DVD RW Drive Kit	°	°	°	°	NA	NA	NA
UA1247	Battery Charger Station[4]	°	°	°	°	°	°	°
UA1225	Extra Battery for UA 1214 and UA1814 (rechargable 14.4 V lithium ion battery). Must be ordered in sets of 2 or 4 batteries.	°	°	°	°	°	°	°
QA0228	Trackball Adjustment Tool	•	•	•	•	NA	NA	NA
UA4102	Printer Start-Up Kit. Requires UA1210, UA1214, UA1810 or UA1814	°	°	°	°	°	°	°
AO0491	Video Cable (Flex Focus to phono and BNC)	°	°	°	°	NA	NA	NA
UA0964	Flight Case - for scanner unit with Mobile Keyboard Dock	°	°	°	°	°	°	°
UA1285	Wheeled Transport Case - suitcase on wheels for scanner unit without dock, plus two transducers	°	°	°	°	°	°	°
UA1213	Quantum Technology (field upgrade)	NA	NA	NA	NA	NA	NA	NA
UA1513	Quantum S Upgrade (field upgrade)	NA	NA	°	°	NA	NA	NA
UA1228	Quantum Basic Upgrade (field upgrade)	°	°	°	°	NA	NA	NA

1 Not licensed by Health Canada. VFI and HistoScanning have not been market cleared by the FDA for sale in the USA.
2 For future release.
3 Requires Quantum software.
4 Optional - only available in some countries.

Accessories for Pro Focus 2202

UA1237

Remote Control
Keys and mouse function to operate the system.
Runs on two AA batteries.
Includes Mini Bluetooth® Adapter.
Requires Quantum software.

UA1202

Foot Switch
For Pro Focus 2202 UltraView and *flex* **Focus** 1202

QA0228

Trackball Adjustment Tool
Tool to adjust the trackball tension on 2202 and 1202.

Included with the system.

Cables and Connectors

UA2204

Cord Retaining Kit

DP0925

Network Isolator

UA1215

Foot Switch
2-pedal high-quality foot switch.
Both pedals are user-configurable when connected to 2202 Green.

DZ9756

Transducer Holder Inlay
Inlay for the transducer holders on the system. This allows very small transducers, such as the 8809, to be securely stored on the system.
Only if extras are needed. 1 is included as standard with the transducer.

DS0967

Hand Rest for 2202
The removable hand rest can be used to make working with the keyboard panel more comfortable.

AO0421

Extension Cable for Front Panel
Unique BK Medical feature.
Using the extension cable, the system can be operated from up to 3 meters away.

Accessories for Pro Focus 2202

UA1302

Endo Transducer Holder for Pro Focus
Holds all large endo transducers in a stable position when not in use.

UA1347

Transducer Holder
For use on Pro Focus 2202 with 3D*ART* Transducer Type 8838

SC1624

Shortcut Stickers for Pro Focus

UA0955

System Cover

UA0959

Flight Case for 2202

UA4100

Digital B/W Printer Start-Up Kit
Must be ordered separately. Consists of a SONY UP-D897 printer, a USB cable, a power cable and 10 rolls of printer paper.

UA2240

Printer Shelf

flex **Focus** Scanner Units

1201-1, 2, 4, 7 or 9

flex **Focus** 400 - color scanner unit.
flex **Focus** 200 - *flex* **Focus** scanner unit, with basic funtionality.
flex **Focus** 400 Anesthesia - dedicated to regional anesthesia.
A *flex* **Focus** 200 system or 400 Anesthesia can only be upgraded by replacing the scanner unit with a *flex* **Focus** 400 scanner unit.
To get a complete *flex* **Focus** system, you need to order both a scanner unit and a dock.
flex **Focus** 200 Surgery - affordable surgical system with basic capabilities and limited surgical transducer support.
flex **Focus** 500 - powerful mid-range system featuring Quantum Technology.

1201-3, 10 or 11

flex **Focus** 700 - dedicated surgical system with touch screen. You need to order both a scanner unit and a dock.
flex **Focus** 800 - top-of-the-range system featuring Quantum Technology.
flex **Focus** 800 HistoScanning - top-of-the-range system featuring HistoScanning interface.

Power Pack

The Power Pack enables you to operate the system while it is not connected to an external electrical supply. It is located in the bottom drawer of the backpack.
Only with Mobile Battery Keyboard Dock with battery UA1214 or Mobile Touch Dock with Battery UA1814.

UA1247

Battery Charger Station

Like the Power Pack, but designed to stand on a table or hang on a wall.

Docks

UA1210

Mobile Keyboard Dock

With Backpack UA1220

UA1214

Mobile Keyboard Dock

With battery

Accessories for flex Focus 1202

UA1283 — Keyboard Table Dock

UA1810 — Mobile Touch Dock
With Backpack UA1220.
No DVD (RW) option.

UA1814 — Mobile Touch Dock
With battery

UA1284-K — DVD Drive (upgrade)
Requires Keyboard Dock

UA1237 — Remote Control
Keys and mouse function to operate
the system. Runs on two AA batteries.
Includes Mini Bluetooth Adapter.
Requires Quantum software.

UA1285 — Wheeled Transport Case
Suitcase on wheels for 1202. Holds:
• Scanner unit without dock
• Two transducers

UA1294 — Endo Transducer Holder
For attachment on the array
connector.

Accessories for flex Focus 1202

UA1295

Endo Transducer Holder Mount
Dummy array connector for mechanical transducers without array connectors.

If you want to use Endo Transducer Holder UA1294 for 2050 or 2052, UA1295 is needed.

UA1308

Transducer Holder
For *flex* **Focus** 1202

UA1202

Foot Switch
For Pro Focus 2202 UltraView and *flex* **Focus** 1202

AO0491

Video Cable (*flex* **Focus** to phono and BNC)
Allows you to connect *flex* **Focus** to video devices with phono and BNC sockets. 2.5 m long.

3D Imaging Accessories for Pro Focus 2202 and *flex* **Focus** 1202

UA0513

Magnetic Wheel Mover
Available for use with transducer types 8808, 8808e, 8818 and 8848 The mover is designed to rotate rectal ultrasound transducers in order to acquire a dataset that can be used to construct a 3D volume. It can be used as both a rotational mover and a pullback mover.

UA0510

Adapter Ring for 8848
For use with UA0513 as a rotational mover.

UA0511

Adapter Ring for 8808
For use with UA0513 as a rotational mover.

UA0512

Adapter Ring for 8818/8808e
For use with UA0513 as a rotational mover.

UA0515

Pullback Adapter for 8848
For use with UA0513 as a pullback mover.

UA0516

Pullback Adapter for 8818/8808e
For use with UA0513 as a pullback mover.

EL4036

Adapter Cable for 1202
For use with UA0513 as a pullback mover.

UA1215

Foot Switch
2-Pedal High-Quality Foot Switch. Both pedals are user-configurable when connected to Pro Focus 2202.

UA1202

Foot Switch
For Pro Focus 2202 UltraView and *flex* **Focus** 1202

UA0670

3D Connector Box
Required for 3D connection to the following systems: 6503, 6503-2, 6503-4, 2202 with UA2202*.

*2202 is currently delivered with UA2223 which does not require a 3D Connector Box.

UA0553

Variable Friction Support Arm
Variable Friction Arm for UA0513 (Magnetic Wheel Mover)

Documentation Accessories

EQ4042

Printing Paper SONY UPP-110HA
High density printing paper.
Roll size: 110 mm x 18 m.

For older printers.
Printer is no longer available.

EQ4072

Printing Paper SONY UPP-110HG
High glossy printing paper.
Roll size: 110 mm x 20 m.
Print quantity: Approx. 217 prints per roll. 10 rolls of paper included with the printer.

EQ4093

Color Printing Pack SONY UPC-21S
240 sheets of print paper.
3 rolls of ink ribbon.
Paper size: 100 x 90 mm.
Not sold in the US.

EQ4100

Digital B/W Printer SONY UP-D897
Digital Monochrome printer with a USB interface. The UP-D897 is a feature packed printer to allow for the greatest flexibility in black and white prints.
Part of Printer Start-Up Kit UA4100
Paper: EQ4072

EQ4104

Digital B/W Printer SONY UP-D897/897 for *flex* Focus 1202
Digital Monochrome printer with a USB interface. The UP-D897 is a feature packed printer to allow for the greatest flexibility in black and white prints.
Part of Printer Start-Up Kit UA4102
Paper: EQ4072

EQ4105

Digital Color Printer SONY UP-D25MD for Pro Focus 2202 UltraView
Digital color dye sublimation printer with a USB interface. The UP-D25MD features a slim, compact design that is ideal for medical carts.
Paper: EQ4093 and EQ4094
Not sold in the US.

UA4102

Printer Start-Up Kit for *flex* Focus 1202

Must be ordered separately.
Consists of a SONY UP-D897 printer EQ4104, a USB cable, a power cable and 10 rolls of printer paper.

# Power Cables

AN0084
2202 and 1202

AN0089
2202 and 1202

AN0082
2202 and 1202

AN0081
2202 and 1202

AN0083
2202 and 1202

AN0080
2202 and 1202

AN0090
2202 and 1202

(Reversed phase and null)

AN0086
2202 and 1202

Round pin

AN0085
2202 and 1202

AN0087
2202 and 1202

Flat pin

AN0088
2202 and 1202

Power Cables

COUNTRY	SIGNAL TYPE	COUNTRY CODE	2202/1202	VOLTAGE
ALBANIA	PAL B/G	915	AN0080	230 V
ALGERIA	PAL B/G	903	AN0080	230 V
ARGENTINA	PAL N	921	AN0090	230 V
AUSTRALIA	PAL B/G	918	AN0083	230 V
AUSTRIA	PAL B/G	904	AN0080	230 V
AZERBAIJAN	PAL B/G	915	AN0080	230 V
BAHRAIN	PAL B/G	900	AN0082	230 V
BANGLADESH	PAL B	900	AN0082	230 V
BELARUS	SECAM D/K	915	AN0080	230 V
BELGIUM (LUXEMBOURG)	PAL B/H	901	AN0080	230 V
BOLIVIA	NTSC M	913	AN0081	230 V
BOSNIA/HERZEGOVINA/SERBIA	PAL B/H	915	AN0080	230 V
BRAZIL	PAL M	914	AN0081	115 V
BULGARIA	SECAM D/K	992	AN0080	230 V
CAMBODIA	"PAL B/G, NTSC M"	900	AN0082	230 V
CHILE	NTSC M	923	AN0085	230 V
CHINA (PEOPLE'S REPUBLIC)	PAL D	906	AN0083	230 V
COLOMBIA	NTSC M	913	AN0081	115 V
COSTA RICA	NTSC M	913	AN0081	115 V
CROATIA	PAL B/H	915	AN0080	230 V
CUBA	NTSC M	913	AN0081	115 V
CYPRUS	PAL B/G	983	AN0082	230 V
CZECH REPUBLIC	"PAL B/G, SECAM D/K"	982	AN0080	230 V
DENMARK	PAL B/G	974	AN0087/AN0086	230 v
ECUADOR	NTSC M	913	AN0081	115 V
EGYPT	"PAL B/G, SECAM B/G"	900	AN0082	230 V
EL SALVADOR	NTSC M	913	AN0081	115 V
ESTONIA	"PAL B, SECAM D/K"	984	AN0080	230 V
FINLAND	PAL B/G	908	AN0080	230 V
FRANCE	SECAM L	903	AN0080	230 V
GEORGIA	SECAM D/K	915	AN0080	230 V
GERMANY	PAL B/G	904	AN0080	230 V
GHANA	PAL B/G	900	AN0082	230 V
GREECE	SECAM B/G	910	AN0080	230 V
GREENLAND	PAL B	974	AN0087/AN0086	230 V
GUATEMALA	NTSCM	913	AN0081	115 V
HONDURAS	NTSC M	913	AN0081	115 V
HONG KONG	PAL I	924	AN0082	230 V
HUNGARY	PAL K/K	987	AN0080	230 V
ICELAND	PAL B/G	915	AN0080	230 V
INDIA	PAL B	917	AN0084	230 V
INDONESIA	PAL B	915	AN0080	230 V

Power Cables

COUNTRY	SIGNAL TYPE	COUNTRY CODE	2202/1202	VOLTAGE
IRAN	SECAM B/G	915	AN0080	230 V
IRAQ	SECAM B/G	900	AN0082	230 V
ISRAEL	PAL B/G	919	AN0089	230 V
ITALY	PAL B/G	902	AN0085	230 V
JAPAN	NTSC M	905	AN0081	115 V
JORDAN	PAL B/G	900	AN0082	230 V
KAZAKHSTAN	SECAM D/K	915	AN0080	230 V
KENYA	PAL B/G	900	AN0082	230 V
KUWAIT	PAL B/G	900	AN0082	230 V
LATVIA	"PAL B/G, SECAM D/K"	985	AN0080	230 V
LEBANON	PAL B/G	900	AN0082	230 V
LITHUANIA	"PAL B/G, SECAM D/K"	986	AN0080	230 V
MALAYSIA	PAL B	900	AN0082	230 V
MALTA	PAL B	988	AN0082	230 V
MEXICO	NTSC M	913	AN0081	115 V
MOROCCO	SECAM B	903	AN0080	230 V
NETHERLANDS	PAL B/G	901	AN0080	230 V
NEW ZEALAND	PAL B/G	918	AN0083	230 V
NIGERIA	PAL B/G	900	AN0082	230 V
NORWAY	PAL B/G	976	AN0080	230 V
OMAN	PAL B/G	900	AN0082	230 V
PAKISTAN	PAL B	900	AN0082	230 V
PERU	NTSC M	907	AN0080	230 V
PHILIPPINES	NTSC M	916	AN0081	230 V
POLAND	PAL B/G	981	AN0080	230 V
PORTUGAL	PAL B/G	911	AN0080	230 V
QATAR	PAL B	900	AN0082	230 V
ROMANIA	PAL D/G	991	AN0080	230 V
RUSSIA	SECAM D/K	977	AN0080	230 V
SAUDI ARABIA	"SECAM B/G, PAL B"	900	AN0082	230 V
SINGAPORE	PAL B/G	900	AN0082	230 V
SLOVAKIA	"PAL B, SECAM D/K"	990	AN0080	230 V
SLOVENIA	PAL B/H	989	AN0080	230 V
SOUTH AFRICA	PAL I	917	AN0084	230 V
SOUTH KOREA	NTSC M	922	AN0080	230 V
SPAIN	PAL B/G	907	AN0080	230 V
SWEDEN	PAL B/G	975	AN0080	230 V
SWITZERLAND	PAL B/G	920	AN0088	230 V
SYRIA	"SECAM B, PAL G"	915	AN0080	230 V
TAIWAN	NTSC	905	AN0081	115 V
THAILAND	PAL B/M	916	AN0081	230 V
TUNISIA	SECAM B/G	903	AN0080	230 V
TURKEY	PAL B	915	AN0080	230 V
UKRAINE	SECAM D/K	915	AN0080	230 V
URUGUAY	PAL N	915	AN0080	230 V

Power Cables

COUNTRY	SIGNAL TYPE	COUNTRY CODE	2202/1202	VOLTAGE
UNITED ARAB EMIRATES	PAL B/G	900	AN0082	230 V
UNITED STATES (CANADA)	NTSC M	909	AN0081	115 V
UNITED KINGDOM	PAL I	900	AN0082	230 V
VENEZUELA	NTSC M	913	AN0081	115 V
VIETNAM	"NTSC M, SECAM D"	915	AN0080	230 V
YEMEN	PAL I	915	AN0082	230 V

Miscellaneous

WQ0739

Scanning Gel
Electronic coupling medium for ultrasound imaging.
Refillable dispenser 290 ml.
Refill container 5 liters:
UA0610
Not sold in the US.

WQ0970

Biplane Prostate Phantom
Training and simulation device.
Organs and tissues are correctly adjusted to mimic exact Ultrasound echogenic seen by surgeon during OR procedures.
Not sold in the US.

SC1474

OB Stickers for keyboard shortcuts
Extremely useful for users who use the programmable shortcuts in the obstetrics package to program short-cuts for advanced measurements. The stickers are placed on the short-cut keys you define.
*Not sold in the US.*

WQ0971

Endfire Prostate Phantom
Training and simulation device.
Organs and tissues are correctly adjusted to mimic exact Ultrasound echogenic seen by surgeon during OR procedures.
Not sold in the US.

WQ0975

Breast Ultrasound Biopsy Phantom. Model 052
Training device for ultrasound guided biopsy procedures.
The phantom mimics the ultrasonic characteristics of tissues found in an average human breast

WQ0974

Tissue Equivalent Ultrasound Prostate Phantom. Model 053
Training device for imaging the prostate with a rectal transducer.

Endosonic Transducer 1850-M

NOTE: Endosonic Transducer 1850-M has been terminated as of February 2012 and is therefore no longer available for ordering.

Systems: 2202-7 with Single Element Module UA2223/UA2223-K , 1202-1 and 1202-3
Frequency Range: 10-5 MHz

The following accessories are still available for ordering:

WA0543

| 77 mm Rectal Tube | UA0878 | Including Lubricant and Rubber Sheats UA0799 |
| Hood for UA0878 | WA0543 | |

EA4020

| Hood for UA0878, plastic | EA4020 | Autoclavable |

UA0681

| Sterile, Single-Use Rectosigmoidoscope | UA0681 | With Obturator and Grip |

UA0799

| Standoff Sheaths (box of 100) | UA0799 | Non-sterile for use with Rectal Tube UA0878. 1 box included with UA0878. |

O-Ring for sealing between 1850-M and Rectal Tubes	YJ0632	(proximal end of 1850-M)
O-Rings for Crystals	YJ0619	
NeoFlex Sterile, Non-Latex Endocavity Covers	UA0068	24 pcs.
Large Metal Ring	YJ0621	
Small Metal Ring	YA0514	
Extra Hoods for WA0637	WS3416	

*Product has been terminated.

Anorectal 3D Transducers 2050 and 2052

Systems: 2202-8, 2202-7 with Single Element Module UA2223/UA2223-K ,1202-1,1202-3, 1202-9,1202-10 and 1202-11
Frequency Range: 16-6 MHz

Carrying Case	KE4322	Included
Water Standoff System:		
Water Standoff Collar	UA0671	
Rectosigmoidoscope with obturator	UA0672	For Welch Allyn® Light Source
Rectosigmoidoscope with obturator	UA0673	For Storz® Light Source.
Rectosigmoidoscope. Sterile, Single-Use*		
Non-Sterile Water Standoff	UA0681	With obturator and grip
NeoFlex Sterile, Non-Latex		
Endocavity Covers	UA0068	24 pcs.
Light Source Cable Adapter for UA0681*	UA0682	Reusable. For Storz and Wolf Light Sources.
Rectosigmoidoscope	UA0683	Single-Use
Spare O-Rings for use with UA0671	UA0674	Pack of 10 Silicone O-Rings
Glycerin-Based Lubricant	UA0675	250 ml. Not sold in the US.
Plastic Extension Tube, 30 cm	UA0676	(Included with UA0671 - can also be purchased separately)
2-Way Stopcock	UA0677	(Included with UA0671 - can also be purchased separately).
50 ml Syringe w. Luer Lock (box of 60)	UA0678	(Included with UA0671 - can also be purchased separately)
3D Imaging:		
3D Connector Box	UA0670	Required for 3D connection to the following 3 systems: 6503, 6503-2, 6503-4, 2202 with UA2202**.
Variable Friction Support Arm	UA0553	
Transducer Support Collar	UA0679	For use with Variable Friction Support Arm UA0553 or any other clamp.
Sterile Latex Transducer Covers	UA0005	24 pcs. sterile transducer cover 2.6 x 20 cm
*Not released for sale in Canada		**2202 is delivered with UA2223 which does not require a 3D Connector Box.

UA0673

UA0681

UA0679

Mechanical Sector Transducer 8551-R

Systems: 1101 with an integrated Single Element Module and 2202 Green with Single Element Module

Frequency Range: 10-6 MHz

Carrying Case	KE4300	Included.
Insert for Carrying Case	DS0524	Included.
Extended Needle Guide for transrectal puncture	UC5299-E	114.5 mm long.
Single-Use Cleaning Brush	QZ0040	For needle guide. Included.
Sterile Cable Covers, Latex-Free	UA0004	24 pcs. 2.5 m
Latex Covers	UA0006	24 pcs., sterile covers 3.5 x 20 cm
Latex Covers	UA0069	24 pcs., sterile, 3.2 cm tapered to 1.9 x 32 cm
Water Stand-Off Rubber Sheath	UA0799	1 Pack of 100 included. Non-sterile.
Water Stand-Off O-Ring	QA0185	1 Pack of 100 included. Non-sterile.

Transducers and Transducer Accessories

4-Way Laparoscopic Transducer 8666-RF

Systems: 2202,1202-3, 1202-7 and 1202-10
Frequency Range: 10-5 MHz

Carrying Case	KE4320	Included
No-Flex™ Attachment	UA1166	For customers who prefer to image with a rigid laparoscopic transducer.
Single-Use Cleaning Brush, thin	QZ0040	For needle guide
NeoGuard® Sterile Covers	UA0067	12 pcs, telescopically folded, latex-free
Leakage Testing Kit	UA1404	

UA1166

Endfire Curved Array Transducer 8667

Systems: 2202, 1202-1, 1202-2,1202-3 and 1202-7
Frequency Range: 10-5 MHz

Carrying Case	KE4300	Must be ordered separately.
Needle Guide	UA1256	Bore diameter of 1.5 mm and angle of insertion 0° to the long axis of the transducer.
Single-Use, Sterile Needle Guide	UA1256-U*	Bore diameter of 1.3 mm and angle of insertion 0° to the long axis of the transducer. 8 pcs.
Leakage Testing Kit	UA1404	
Latex Covers	UA0006	24 pcs. sterile covers 3.5 x 20 cm
CIV-Flex™ Latex-Free, Sterile Covers	UA0008	24 pcs, 11.97 cm narrowing down to 4.57 cm

* UA1256-U not released for sale in the USA and Canada

Transducers and Transducer Accessories

Linear Array Transducer 8670

Systems: 2202 and 1202
Frequency Range: 12-4 MHz

Carrying Case	KE4300	Must be ordered separately.
Needle Guide (for 8570 with 1101 and for 8670 with 1402 only)	UA1246	Bore diameter 0.7-2.4 mm and angle of insertion of 45° to the image axis. Requires UA0028.
Needle Guide (For 8670 with 2202 and 1202 only)	UA1269	Bore diameter 0.6-2.4 mm and angle of insertion of 30°, 45° and 60° to the image axis.
Needle Guide Insert for UA1246	UA0028	Box with 20 single-use inserts.
Sterile Cable Covers, Latex-Free	UA0004	24 pcs. 2.5 m.
CIV-Flex™ Sterile, Latex-Free Covers	UA0009	24 pcs. 8.89 x 60 cm.
CIV-Flex™ Sterile Covers, Latex-Free	UA0071	24 pcs., 8.9 x 91.5 cm, telescopically folded.
NeoGuard® Sterile Covers	UA0074	12 pcs., latex-free, 20.3 x 244 cm with SurgiTip 6 cm, telescopically folded.

UA1246
UA1269

Curved Array Transducer 8802

Systems: 2202, 1202-1, 1202-3, 1202-9, 1202-10 and 1202-11
Frequency Range: 6-3 MHz

Carrying Case	KE4300	Must be ordered separately.
Needle Guide	UA1250	Bore diameter variable from 0.6 to 2.4 mm and angle of insertion 18° to the long axis of the transducer.
Leakage Testing Kit	UA1404	
Sterile Cable Covers, Latex-Free	UA0004	24 pcs. 2.5 m
CIV-Flex™ Sterile, Latex-Free Covers	UA0009	24 pcs. 8.89 x 60 cm
CIV-Flex™ Sterile Covers, Latex-Free	UA0071	24 pcs., 8.9 x 91.5 cm, telescopically folded
CIV-Flex™ Cover, Latex-Free	UA0076	24 pcs., 14 x 147 cm, telescopically folded

UA1250

Biplane Transducer 8808

Systems: 2202, 1202-1, 1202-2, 1202-3, 1202-7, 1202-9, 1202-10 and 1202-11
Frequency Range: 10-5 MHz

Carrying Case	KE4300	Must be ordered separately.
Dummy Channel Bracket	UA1272	Included

Transrectal Biopsy Guides

Reusable Biopsy Guide	UA1257-R17	For 17-gauge needles. Includes:
	UA1257	Biopsy Channel Bracket
	UC5296	17-gauge needle guide
Extended, Reusable Biopsy Guides	UA1257R17E	For 17-gauge needles. Long needle guide. Includes:
	UA1257	Biopsy Channel Bracket
	UC5296-E	17-gauge long needle guide
Reusable Biopsy Guide	UA1257-R14	For 14-gauge needles. Includes:
	UA1257	Biopsy Channel Bracket
	UC5298	14-gauge needle guide
Single-Use Biopsy Guides	UA1257-S14	For 14-gauge needles. Sterile packed. 18 pcs.
Extended, Single-Use Biopsy Guides	UA1257S17E	For 17-gauge needles. Sterile-packed. 18 pcs. Includes: Biopsy Channel Bracket 17-gauge needle guide
Transperineal Puncture Attachment	UA1232	Bore diameter of 2.2 mm and angle of insertion 0° to the long axis of the transducer.

UA1257-S14

UA1257S17E

UA1232

Single-Use Cleaning Brush, thin	QZ0040	For needle guide
Magnetic Wheel Mover for 3D Imaging	UA0513	
Mover Adapter Ring for UA0513	UA0511	
Variable Friction Support Arm	UA0553	For Magnetic Wheel Mover
Rubber Water Standoff Sheaths	UA0799	Non-Sterile. Pack of 100.
Water Standoff O-Rings	UA0210	Non-Sterile. Pack of 100.
Leakage Testing Kit	UA1404	
CIV-Flex™ Latex-Free, Sterile Covers	UA0008	24 pcs. 11.97 cm narrowing down to 4.57 cm
Latex Covers	UA0032	24 pcs., Non-Sterile
Latex Covers	UA0069	24 pcs., Sterile, 3.2 cm tapered to 1.9 x 32 cm

Prostate Biplane Transducer 8808e

UA 1324

Systems: 2202 , 1202-1, 1202-2, 1202-3, 1202-7, 1202-9, 1202-10 and 1202-11
Frequency Range: 10-5 MHz

Dummy Channel Bracket	UA1325	Included
Carrying Case	KE4300	Must be ordered separately.
Simultaneous Biplane Biopsy Guides	UA1326	Reusable. Bore diameter 1.6 mm; angle of insertion 19° to the long axis of the transducer.
Single-Use Biplane Biopsy Guides	UA1322-S*	Sterile packed. 18 pcs. Bore diameter of 1.6 mm; angle of insertion 19° to the long axis of the transducer.
Single-Use Biplane Biopsy Guides	UA1322-S14*	Sterile packed. 18 pcs. Bore diameter of 2.1 mm; angle of insertion 19° to the long axis of the transducer.
Single-Use Cleaning Brush, thin	QZ0040	For needle guide
Perineal Puncture Attachment	UA1324	Bore diameter 2.1 mm; angle of insertion 0° to the long axis of the transducer.
Civco Multi-Purpose Workstation	UA2020	For transperineal biopsies
Magnetic Wheel Mover for 3D Imaging	UA0513	
Mover Adapter Ring for UA0513	UA0512	
Variable Friction Support Arm	UA0553	For Magnetic Wheel Mover
Pullback Adapter	UA0516	For Magnetic Wheel Mover
Leakage Testing Kit	UA1404	
CIV-Flex™ Latex-Free, Sterile Covers	UA0008	24 pcs. 11.97 cm narrowing down to 4.57 cm.
Latex Covers	UA0032	24 pcs., non-sterile
Latex Covers	UA0069	24 pcs., sterile, 3.2 cm tapered to 1.9 x 32 cm

*Recommended needle length is 20 cm for anesthetic procedures and 25 cm for biopsy procedures.

"Hockey Stick" Transducer 8809

Systems: 2202 , 1202-1, 1202-3, 1202-4, 1202-9, 1202-10 and 1202-11
Frequency Range: 15-6 MHz

Carrying Case	KE4300	Must be ordered separately.
Transducer Holder	DZ9756	Included
Needle Guide	UA1262	Can be used with needles up to 1.2 mm/18 gauge.
Leakage Testing Kit	UA1404	
Sterile Cable Covers, latex-free	UA0004*	24 pcs. 2.5 m
CIV-Flex™ Latex-Free, Sterile Covers	UA0008*	24 pcs. 11.97 cm narrowing down to 4.57 cm
NeoGuard® Covers, latex-free	UA0075	12 pcs., 15.2 x 244 cm plus form-fitted NeoGuard® tip, telescopically folded

* Must be used together

UA1262

Linear Array Transducer 8811

Systems: 2202 and 1202 (available with all system versions)
Frequency Range: 12-5 MHz

Carrying Case	KE4300	Must be ordered separately.
Needle Guide	UA1239	Bore diameter up to 2.1 mm and angle of insertion 30°, 45° and 60° to the image axis.
Leakage Testing Kit	UA1404	
CIV-Flex™ Covers	UA0007	24 pcs. sterile covers 13.97 x 60 cm
CIV-Flex™ Sterile Covers, Latex-Free	UA0070	24 pcs., 14 x 91 cm, telescopically folded
NeoGuard® Sterile Covers	UA0074	12 pcs., latex-free, 20.3 x 244 cm with SurgiTip 6 cm, telescopically folded

UA1239

Transducers and Transducer Accessories

Linear Array Transducer 8812

Systems: 2202
Frequency Range: 8-3.75 MHz

Carrying Case	KE4300	Must be ordered separately.
Needle Guide	UA1246	Bore diameter of 0.7-2.7 mm and angle of insertion 0f 45° to the image axis. Requires UA0028.
Single-Use Needle Cartridges	UA0028	Box of 20. Single-use.
Sterile Cable Covers, Latex-Free	UA0004*	24 pcs. 2.5 m
CIV-Flex™ Sterile, Latex-Free Covers	UA0009*	24 pcs. 8.89 x 60 cm
CIV-Flex™ Sterile Covers, Latex-Free	UA0071	24 pcs., 8.9 x 91.5 cm, telescopically folded
NeoGuard® Sterile Covers	UA0074	12 pcs., latex-free, 20.3 x 244 cm with SurgiTip 6 cm, telescopically folded

UA1246

*Must be used together.

Intraoperative Biplane Transducer 8814

Systems: 2202, 1202-3, 1202-10 and 1202-11
Frequency Range: 10-5 MHz

Transducer Holder	DZ9756	Included
Instructions for use	BB1943	Included
Carrying Case	KE4300	Must be ordered separately.
Single-Use Needle Guide	UA1335	Box of 24
Leakage Testing Kit	UA1404	
Sterile cable Covers, Latex-free	UA0004*	24 pcs. 2.5 m. Used with UA0009.
CIV-Flex™ Sterile, Latex-Free Covers	UA0009*	24 pcs. 8.89 x 60 cm. Used with UA0004.
NeoGuard® Sterile Covers	UA0074	12 pcs., latex-free, 20.3 x 244 cm with SurgiTip. 6 cm, telescopically folded

UA1335

*Must be used together

Intraoperative Transducer 8815

Systems: 2202, 1202-3 and 1202-7
Frequency Range: 10-5 MHz

Transducer Holder	DZ9756	Included
Carrying Case	KE4300	Must be ordered separately.
Single-Use Needle Guide	UA1336	Includes: 3-angle insert for 10-20 gauge needles (box of 9), free-angle insert for 10-20 gauge needles (box of 9).
Leakage Testing Kit for 8815	UA1404	
Sterile Cable Covers, Latex-Free	UA0004*	24 pcs. 2.5 m
CIV-Flex™ Latex-Free, Sterile Covers	UA0008*	24 pcs. 11.97 cm narrowing down to 4.57 cm
Sterile Latex Transducer Covers	UA0005	24 pcs. sterile transducer cover 2.6 x 20 cm
NeoGuard® SurgiTip Covers, Sterile	UA0073	12 pcs., latex-free, 15.2 x 244 cm with SurgiTip, 3 cm, telescopically folded (recommended)

UA1336

* Must be used together

T-Shaped Intraoperative Transducer 8816

Systems: 2202, 1202-3, 1202-4, 1202-7, 1202-10 and 1202-11
Frequency Range: 10-4 MHz

Carrying Case	KE4300	
Insert for Carrying Case	DS0976	
Transducer Holder	DZ9756	
Leakage Testing Kit	UA1404	
Sterile Cable Covers, Latex-Free	UA0004*	24 pcs. 2.5 m
CIV-Flex™ Sterile, Latex-Free Covers	UA0009*	24 pcs. 8.89 x 60 cm
NeoGuard® SurgiTip Covers, Sterile	UA0073	12 pcs., latex-free, 15.2 x 244 cm with SurgiTip, 3 cm, telescopically folded (recommended)

* Must be used together

Prostate Triplane Transducer 8818

Systems: 2202, 1202-1, 1202-3, 1202-9, 1202-10 and 1202-11
Frequency Range: 12-4 MHz

UA1329-S

Dummy Channel Bracket	UA1325	Included
Carrying Case	KE4300	Must be ordered separately.
Civco Multi-Purpose Workstation	UA2020	For transperineal biopsies
Endfire Biopsy Guides*	UA1327	Reusable. Bore diameter 1.6 mm; angle of insertion 0° to the long axis of the transducer.
	UA1323-S#	Single-use, sterile packed. 18 pcs.
Simultaneous Biplane Biopsy Guides*	UA1326	Reusable. Bore diameter 1.6 mm; angle of insertion 19° to the long axis of the transducer.
	UA1322-S#	Single-use, sterile packed. 18 pcs.
	UA1322-S14#	Sterile packed. 18 pcs. Bore diameter of 2.1 mm; angle of insertion 19° to the long axis of the transducer.
Dual Biopsy Guides*	UA1328	Reusable. Bore diameter 1.6 mm; angle of insertion 0° and 19° to the long axis of the transducer.
	UA1329-S#	Single-use, sterile packed. 18 pcs.
Perineal Puncture Guide	UA1324	Perineal puncture attachment. Bore diameter 2.1 mm; angle of insertion 0° to the long axis of the transducer.
Single-Use Cleaning Brush, thin	QZ0040	For needle guide. Not sold in the US.
Leakage Testing Kit	UA1404	
Magnetic Wheel Mover for 3D Imaging	UA0513	
Mover Adapter Ring	UA0512	
Variable Friction Support Arm	UA0553	For Magnetic Wheel Mover
Pullback Adapter	UA0516	For Magnetic Wheel Mover
CIV-Flex™ Latex-Free, Sterile Covers	UA0008	24 pcs. 11.97 cm narrowing down to 4.57 cm
Latex Covers	UA0032	24 pcs., non-sterile
Latex Covers	UA0069	24 pcs., sterile, 3.2 cm tapered to 1.9 x 32 cm

UA1324

* All biopsy guides include needle guides.
#Recommended needle length is 20 cm for anesthetic procedures and 25 cm for biopsy procedures.

Transducers and Transducer Accessories

Endovaginal Transducer 8819

Systems: 2202, 1202-1,1202-2, 1202-3, 1207-7, 1202-9, 1202-10 and 1202-11
Frequency Range: 9-6 MHz

Carrying Case	KE4325	
Insert for Carrying Case	DS0537	
Needle Guide	UA1282	Bore diameter 1.8 mm; angle of insertion 0.9° to the long axis of the transducer. Includes 3 single-use cleaning brushes.
Single-Use Cleaning Brush, thin	QZ0040	For needle guide
CIVCO Sterile Endocavity Needle Guide	610-958	To purchase, please contact your CIVCO supplier. *Can also be purchased through BK USA.*
Sterile Cable Covers, latex-free	UA0004	24 pcs. 2.5 m
Sterile Latex Transducer Covers	UA0005	24 pcs. sterile covers 2.6 x 30 cm
CIV-Flex™ Latex-Free, Sterile Covers	UA0008	24 pcs. 11.97 cm narrowing down to 4.57 cm

UA1282

Curved Array Transducer 8820e

Systems: 2202, 1202-1, 1202-2 , 1202-3,1202-4, 1202-9, 1202-10 and 1202-11
Frequency Range: 6-2 MHz

Carrying Case	KE4300	Must be ordered separately.
Needle Guide	UA1250	Bore diameter variable from 0.6 to 2.4 mm and angle of insertion 18° to the long axis of the transducer.
Biopsy Starter Kit	UA1341	Including: 1 reusable bracket, 5 sterile Ultra-Pro 3™ needle guides with transducer cover and gel.
Sterile Ultra-Pro 3™ Needle Guides	UA0013	24 pcs.
Leakage Testing Kit	UA1404	
Sterile Cable Covers, Latex-Free	UA0004	24 pcs. 2.5 m
CIV-Flex™ Sterile, Latex-Free Covers	UA0009	24 pcs. 8.89 x 60 cm
CIV-Flex™ Covers	UA0007	24 pcs. sterile covers 13.97 x 60 cm
CIV-Flex™ Sterile Covers, Latex-Free	UA0070	24 pcs., 14 x 91 cm, telescopically folded
Sterile Latex Covers, Intraoperative	UA0072	12 pcs., 20.3 x 244 cm with 9 cm tip, telescopically folded
CIV-Flex™ Covers, Latex-Free	UA0076	24 pcs., 14 x 147 cm, telescopically folded

UA1250

UA1341 with UA0013

Vascular Transducer 8822*

Systems: 2202, 1202-1, 1202-3, 1202-9, 1202-10 and 1202-11
Frequency Range: 9-3.5 MHz

Carrying Case	KE4300	Must be ordered separately.
Needle Guide	UA1239	Bore diameter up to 2.1 mm and angle of insertion 30°, 45° and 60° to the image axis.
Leakage Testing Kit	UA1404	
CIV-Flex™ Covers	UA0007	24 pcs. sterile covers 13.97 x 60 cm
CIV-Flex™ Sterile Covers, Latex-Free	UA0070	24 pcs., 14 x 91 cm, telescopically folded
NeoGuard® Sterile Covers	UA0074	12 pcs., latex-free, 20.3 x 244 cm with SurgiTip 6 cm, telescopically folded

UA1239

*Not licensed by Health Canada.

Curved Array Transducer 8823

Systems: 2202 and 1202
Frequency Range: 6-1.8 MHz

Carrying Case	KE4300	Must be ordered separately.
Needle Guide	UA1250	Bore diameter variable from 0.6 to 2.4 mm and angle of insertion 18° to the long axis of the transducer.
Biopsy Starter Kit	UA1341	Including: 1 reusable bracket, 5 sterile Ultra-Pro 3™ needle guides with transducer cover and gel.
Sterile Ultra-Pro 3™ Needle Guides	UA0013	24 pcs.
Leakage Testing Kit	UA1404	
Sterile Cable Covers, Latex-Free	UA0004	24 pcs. 2.5 m
CIV-Flex™ sterile, Latex-Free Covers	UA0009	24 pcs. 8.89 x 60 cm
CIV-Flex™ Sterile Covers, Latex-Free	UA0071	24 pcs., 8.9 x 91.5 cm, telescopically folded
CIV-Flex™ Cover, Latex-Free	UA0076	24 pcs., 14 x 147 cm, telescopically folded

UA1250

UA1341 with UA0013

Transducers and Transducer Accessories

Intraoperative Biplane Transducer 8824

Systems: 2202 , 1202-3, 1202-4, 1202-10 and 1202-11
Frequency Range: 10-5 MHz

Carrying Case	KP0212	Must be ordered separately.
Insert for Carrying Case	DS0977	
Single-Use Needle Guide Kit	UA1337	Box of 9
UA1337 includes:		2 needle guide insert palettes (3-angle and free-angle respectively), each with 9 different inserts for 10-20 gauge needles.
Leakage Testing Kit	UA1404	
Sterile Cable Covers, Latex-Free	UA0004*	24 pcs. 2.5 m
CIV-Flex™ Latex-Free, Sterile covers	UA0008*	24 pcs. 11.97 cm narrowing down to 4.57 cm
NeoGuard® SurgiTip Covers, Sterile	UA0073	12 pcs., latex-free, 15.2 x 244 cm with SurgiTip 3 cm, telescopically folded (recommended)

* Must be used together

Pro**ART** Robotic "Drop-In" Transducer 8826*

Systems: 2202, 1202-3, 1202-10 and 1202-11
Frequency Range: 12-5 MHz

Carrying Case	KE4320	Included
Leakage Testing Kit	UA1404	
Latex-Free Laparoscopic Transducer Cover	UA0067	12 pcs. Telescopically folded (not suitable for robotic surgery)

*Not licensed by Health Canada.

Transducers and Transducer Accessories

Curved Array Transducer 8830

Systems: 2202 and 1202
Frequency Range: 6-2 MHz

Carrying Case	KE4300	Must be ordered separately.
Needle Guide	UA1250	Bore diameter variable from 0.6 to 2.4 mm and angle of insertion 18° to the long axis of the transducer.
Biopsy Starter Kit	UA1341	Including: 1 reusable bracket, 5 sterile Ultra-Pro 3™ needle guides with transducer cover and gel.
Sterile Ultra-Pro 3™ Needle Guides	UA0013	24 pcs.
Sterile Cable Covers, Latex-Free	UA0004	24 pcs., 2.5 m
CIV-Flex™ Sterile Covers	UA0007	24 pcs., 2.5 m
CIV-Flex™ Sterile, Latex-Free Covers	UA0009	24 pcs., 13.97 x 60 cm
CIV-Flex™ Sterile Covers, Latex-Free	UA0070	24 pcs., 8.89 x 60 cm
Sterile Latex Covers, Intraoperative	UA0072	24 pcs., 14 x 91 cm, telescopically folded 12 pcs., 20.3 x 244 cm with 9 cm tip, telescopically folded
CIV-Flex™ Covers, Latex-Free	UA0076	24 pcs., 14 x 147 cm, telescopically folded

UA1250

UA1341 with UA0013

Rigid Laparoscopic Transducer 8836*

Systems: 2202, 1202-7, 1202-10 and 1202-11
Frequency Range: 12-5 MHz

Carrying Case	STIP/N22927	Must be ordered separately.
Leakage Testing Kit	UA1404	
NeoGuard™ Sterile Covers, Latex-Free	UA0067	12 pcs.

*Expected release April/May 2012.

Transducers and Transducer Accessories

Small Footprint Cardiac Transducer 8837*

Systems: 2202 and 1202
Frequency Range: 4-2

Carrying Case	KE4300	Must be ordered separately.
Sterile Latex Transducer Covers	UA0006	24 pcs.

*Not licensed by Health Canada

3D*ART* Transducer 8838*

Systems: 2202 with 3D Professional UA2222 and Single Element Module UA2223, 1202-1 and 1202-3 with 3D Professional UA1222 , 1202-9, 1202-10 and 1202-11

Frequency Range: 12-4 MHz

Carrying Case	KE4325	Included
Insert for Carrying Case	DS0980	Included
Endo Transducer Holder Insert for Pro Focus 2202 UltraView	UA1347	
Transducer Holder for Flex Focus 1202	UA1308	
Robotic Stationary Transducer (RST)™ Arm	UD1309	Designed to hold the transducer during robotic-assisted surgery procedures.
General Transducer Holder	UA1296	For Flex Focus 1202 Mobile Touch Docks UA1810 or UA1814.
Sterile Cable Covers, Latex-Free	UA0004	24 pcs., 2.5 m
Sterile Latex Transducer Covers	UA0006	24 pcs. sterile covers 3.5 x 20 cm
Sterile Latex Transducer Covers	UA0069	24 pcs., sterile, 3.2 cm tapered to 1.9 x 32 cm

* Not licensed by Health Canada for use on 1202.

Endocavity Biplane 8848

Systems: 2202, 1202-1, 1202-3, 1202-9, 1202-10 and 1202-11
Frequency Range: 12-4 MHz

UA1232

Carrying Case	KE4326	Must be ordered separately.
Needle Guide	UA1232	Bore diameter variable of 2.2 mm and angle of insertion 0° to the long axis of the transducer.
CIV Flex Brachy Balloons, Latex-Free	UA0059	10 pcs.
CIVCO Classic Stepper and Micro-Touch® Stand	UA2000	See page 39 for more details.
CIVCO Classic Stepper and Micro-Touch® Stand	UA2001	See page 39 for more details.
EXII Tracked Stepper and Stand	UA2010	See page 39 for more details.
EXII Tracked Stepper and Stand	UA2011	See page 39 for more details.
Magnetic Wheel Mover for 3D Imaging	UA0513	
Mover Adapter Ring	UA0510	
Variable Friction Support Arm	UA0553	For Magnetic Wheel Mover
Pullback Adapter	UA0515	For Magnetic Wheel Mover
Sterile Latex Transducer Covers	UA0005	24 pcs. sterile transducer cover 2.6 x 20 cm
CIV-Flex™ Latex-Free, Sterile Covers	UA0008	24 pcs. 11.97 cm narrowing down to 4.57 cm

Transducers and Transducer Accessories

Craniotomy Transducer 8862*

Systems: 2202, 1202-1, 1202-3, 1202-9, 1202-10 and 1202-11
Frequency Range: 10-5 MHz

Carrying Case	KE4300	Must be ordered separately.
Transducer Holder	DZ9756	Included
Assembly Guide for UA1345	BB2080	Single-Use, Sterile Packed, Needle Guide Kit (box of 9). Includes 1 needle guide and 2 needle guide insert palettes (3-angle and free-angle respectively), each with 9 different inserts for 10-20 gauge needles.
Needle Guide	UA1345	
Sterile Cable Covers, Latex-Free	UA0004	24 pcs. 2.5 m
Sterile Latex Transducer Covers	UA0005	24 pcs. 2.6 x 20 cm
NeoGuard® SurgiTip Covers, sterile	UA0073	12 pcs., latex-free, 15.2 x 244 cm with SurgiTip 3 cm, telescopically folded (recommended)

*Not licensed by Health Canada.

Burr-Hole Transducer 8863*

Systems: 2202, 1202-3, 1202-7, 1202-10 and 1202-11
Frequency Range: 10-5 MHz

Carrying Case	KE4300	Must be ordered separately.
Transducer Holder	DZ9756	Included
Assembly guide for UA1346	BB2080	
Needle Guide	UA1346	Single-Use, Sterile Packed, Needle Guide Kit (box of 9). Includes 1 palette with needle guide and 9 different inserts for 10-20 gauge needles.
Sterile Cable Covers, Latex-Free	UA0004	24 pcs. 2.5 m
Sterile Latex Transducer Cover	UA0005	24 pcs. 2.6 x 20 cm
Leakage Testing Kit	UA1404	
NeoGuard® SurgiTip Covers, Sterile	UA0073	12 pcs., latex-free, 15.2 x 244 cm with SurgiTip 3 cm, telescopically folded (recommended)

*Not licensed by Health Canada.

Transducers and Transducer Accessories

High Frequency Linear Array Transducer 8870

Systems: 2202, 1202-1, 1202-3, 1202-4, 1202-9, 1202-10 and 1202-11
Frequency Range: 18-6 MHz

Carrying Case	KE4300	Must be ordered separately.
Needle Guide	UA1251	Bore diameter variable from 0.6-3.4 mm; angle of insertion of 30, 45 or 60° to the long axis of the transducer.
Sterile Cable Covers, Latex-Free	UA0004	24 pcs. 2.5 m
CIV-Flex™ Sterile, Latex-Free Covers	UA0009	24 pcs. covers 13.97 x 60 cm

UA1251

CIVCO AccuCare Stepper Units (Barzell-Whitmore)

For Transducer:
Endocavity Biplane 8848

CIVCO Classic Stepper and Micro-Touch® Stand. Table mount.	UA2000	Including 2 x 5 18G Templates (UA2005), 20 Sterile Drapes (UA2007) and 10 Non-Sterile Brachy Balloons (UA0059).
CIVCO Classic Stepper and Micro-Touch® Stand. Table mount.	UA2001	Including 2 x 5 17G Templates (UA2006), 20 Sterile Drapes (UA2007) and 10 Non-Sterile Brachy Balloons (UA0059).
EXII Tracked Stepper and Micro-Touch® Stand. Table mount.	UA2010	Including 2 x 5 18G Templates (UA2005), 20 Sterile Drapes (UA2007) and 10 Non-Sterile Brachy Balloons (UA0059).
EXII Tracked Stepper and Micro-Touch® Stand. Table mount.	UA2011	Including 2 x 5 17G Templates (UA2006), 20 Sterile Drapes (UA2007) and 10 Non-Sterile Brachy Balloons (UA0059).
CIVCO Multi-Purpose Workstation	UA2020	

CIVCO AccuCare
Micro-Touch® Stepper

Options:

CIV Flex Brachy Balloons, Latex-Free	UA0059	10 pcs.
Sterile, Single-Use 18G Templates	UA2005	1 box = 5 units. Min. order 2 boxes.
Sterile, Single-Use 17G Templates	UA2006	1 box = 5 units. Min. order 2 boxes.
Sterile Drapes	UA2007	1 box = 20 units

Index of Reference Numbers

Index of Reference Numbers

Index of Reference Numbers

To order, Please contact

LEGAL MANUFACTURER
BK Medical ApS
Mileparken 34
2730 Herlev
Denmark

Headquarters USA
B-K Medical Systems, Inc.
8 Centennial Drive
Peabody, MA 001960
USA
Tel.: (1) 978-326-1300
Fax: (1) 978-326-1399

B-K Medical Benelux
Generaal de Wittelaan 19/7
2800 Mechelen
Belgium
Tel.: (32) 1528 0600
Fax: (32) 1529 1025

B-K Medical Medizinische Systeme GmbH
Pascalkehre 13
25451 Quickborn
Germany
Tel: (49) 4106 99 55-0
Fax: (49) 4106 99 55-99

B-K Medicale S.r.l.
Via Tulipani, 3/B
20090 Pieve Emanuele MI
Italy
Tel.: (39) 02 90 78 13 47
Fax: (39) 02 90 78 19 05

B-K Medical (UK)
11 Grove Park
Waltham Road, White Waltham
Berkshire SL6 3LW
United Kingdom
Tel.: (44) 1628 825-770
Fax: (44) 1628 826 970

B-K Medical AB
Mänskärsvangen p
141 75 KUNGENS KURVA
Sweden
Tel.: (46) 8-744 02 11
Fax: (46) 8-744 02 12

Your local distributor

Innovative Solutions for Life

Analogic Corporation creates innovative technology to improve the health and ensure the safety of people around the world. We are committed to providing ultrasound solutions under the BK Medical brand name that advance medicine and save lives.